

For Research Use Only

ADRP/Perilipin-2 Polyclonal antibody



Catalog Number: 15294-1-AP

Featured Product

106 Publications

Basic Information

Catalog Number: 15294-1-AP	GenBank Accession Number: BC005127	Purification Method: Antigen affinity purification
Size: 150ul, Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 123	Recommended Dilutions: WB 1:2000-1:16000 IHC 1:200-1:8000 IF 1:200-1:800
Source: Rabbit	Full Name: adipose differentiation-related protein	
Isotype: IgG	Calculated MW: 48 kDa	
Immunogen Catalog Number: AG7539	Observed MW: 45-48 kDa	

Applications

Tested Applications: IF, IHC, WB, ELISA	Positive Controls:
Cited Applications: IF, IHC, WB	WB : mouse liver tissue, K-562 cells, rat liver tissue, NIH/3T3 cells
Species Specificity: human, mouse, rat	IHC : human liver cancer tissue, mouse liver tissue, human liver tissue, human renal cell carcinoma tissue, human prostate cancer tissue, human colon cancer tissue
Cited Species: human, rat, mouse, monkey, zebrafish, pig, canine, bovine	IF : oleic acid treated HeLa cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

ADRP (adipocyte differentiation related protein) also known as ADFP, adipophilin, or perilipin-2, is a member of PAT family which is responsible for the transportation of lipids and the formation of lipid droplets. ADRP is localized on the surface of lipid droplets in a variety of tissues and cell lines. ADRP is not detected in undifferentiated cells but increases rapidly to high levels when adipocyte precursors differentiate into adipocytes. Anti-ADRP antibody is a reliable and sensitive marker for lipid droplet. Enhanced expression of ADRP is linked to diseases with abnormal lipid storage, including hepatic steatosis, atherosclerosis and diabetes. Immunohistochemistry of ADRP may facilitate histomorphological diagnosis of these diseases.

Notable Publications

Author	Pubmed ID	Journal	Application
Karuna Irungbam	31570772	Lab Invest	WB,IHC,IF
Binbin Zhou	36169888	Mol Neurobiol	WB
Qi Xue Huang	36175227	J Dairy Sci	WB

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1%BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




mouse liver tissue were subjected to SDS PAGE followed by western blot with 15294-1-AP (ADRP/Perilipin 2 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 15294-1-AP (ADRP/Perilipin 2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 15294-1-AP (ADRP/Perilipin 2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed oleic acid treated HeLa cells using ADRP/Perilipin 2 antibody (15294-1-AP) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).