For Research Use Only

NDUFV2 Polyclonal antibody

Catalog Number: 15301-1-AP

Featured Product

42 Publications



Basic Information

Catalog Number: GenBank Accession Number:

15301-1-AP BC001632
Size: GeneID (NCBI):
150ul , Concentration: 700 ug/ml by 4729

Nanodrop and 333 ug/ml by Bradford UNIPROT ID: method using BSA as the standard; P19404

Source: Full Name:

Rabbit NADH dehydrogenase (ubiquinone)
Isotype: flavoprotein 2, 24kDa
IgG Calculated MW:

IgG Calculated MW: Immunogen Catalog Number: 27 kDa

AG7559 Observed MW:

24-27 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions: WB 1:5000-1:20000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:500-1:2000 IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications: WB, IHC, IF, IP Species Specificity: human, mouse, rat Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: mouse heart tissue, rat heart tissue, rat skeletal

muscle tissue

IP: mouse heart tissue,

IHC: human prostate cancer tissue, mouse brain tissue,

mouse heart tissue IF/ICC: HeLa cells,

Background Information

The NDUFV2 gene encodes the 24-kD subunit of the mitochondrial NADH:ubiquinone oxidoreductase (complex I of the respiratory chain). The protein belongs to the complex I 24 kDa subunit family. It is the core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I) that is believed to belong to the minimal assembly required for catalysis. NDUFV2 constitutes one genetic risk factor for PD, and the mutation may well be a cause of complex I deficiency in this disease(PMID:9570948).

Notable Publications

Author	Pubmed ID	Journal	Application
Yingying Shi	34489398	Cell Death Dis	WB
Xianzhi Li	36058905	Mol Med	WB
Tianda Chen	26327164	Brain Res	WB, IF

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed HeLa cells using 15301-1-AP (NDUFV2 antibody), at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). Red: staining with alpha tubulin antibody 66031-1-Ig and CoraLite® 594-Conjugated AffiniPure Goat Antimouse IgG(H+L). Blue: DAPI.




Various lysates were subjected to SDS PAGE followed by western blot with 15301-1-AP (NDUFV2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 15301-1-AP (NDUFV2 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 15301-1-AP (NDUFV2 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-NDUFV2 (IP:15301-1-AP, 3ug; Detection:15301-1-AP 1:400) with mouse heart tissue lysate 4000ug.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 15301-1-AP (NDUFV2 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).