For Research Use Only

GBP1 Polyclonal antibody Catalog Number:15303-1-AP Featured Product

Featured Product







Basic Information	Catalog Number: 15303-1-AP	UNIPROT ID: P32455		Purification Method Antigen affinity pur		
	Size: 150ul, Concentration: 500 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG7562			Recommended Dilutions: WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:50-1:500		
		Full Name: GTP binding protein 1 Calculated MW: 68 kDa Observed MW: 67 kDa		IF/ICC 1:10-1:100		
Applications	Tested Applications:		Positive Controls:			
	WB, IHC, IF/ICC, IP, ELISA Cited Applications:	Cited Applications: HUVEC cel			n placenta tissue, human brain tissue, ls	
	WB, IHC, IF, IP, RIP IP : human placenta			icenta tissue,		
	Species Specificity: human	IHC : human spleen tissue,				
	Cited Species: human, mouse, chicken		IF/ICC : MCF-7 cells,			
	Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0	vely, antigen				
Background Information	Guanylate binding protein 1 (GBP1) belongs to the dynamin superfamily of large GTPases. The expression of GBP1 induced by interferon and GBP1 is characterized by its ability to specifically bind guanine nucleotides such as GMF GDP, and GTP and its ability to hydrolyze GTP to GDP and GMP. GBP1 is induced in response to type I and type II interferons and as such plays a role in protective immunity against a spectrum of intracellular pathogens ranging from viruses to bacteria to protozoa, such as negative-strand RNA Rhabdovirus, vesicular stomatitis virus and the positive-strand RNA Picornovirus, encephalomyocarditis virus in cultured cells, the inhibition of Chlamydia trachomatis, Toxoplasma gondii, and Salmonella enterica.					
	positive-strand RNA Picornovirus, en		us in cultured co		itis virus and the	
Notable Publications	positive-strand RNA Picornovirus, en trachomatis, Toxoplasma gondii, and				itis virus and the Chlamydia	
Notable Publications	positive-strand RNA Picornovirus, enertrachomatis, Toxoplasma gondii, and Author Pul	d Salmonella enterica. bmed ID Journ		ells, the inhibition of	itis virus and the	
Notable Publications	positive-strand RNA Picornovirus, enertrachomatis, Toxoplasma gondii, and Author Pul Matthew Charman 344	d Salmonella enterica. bmed ID Journ 621686 Front	อไ	ells, the inhibition of	itis virus and the Chlamydia Application	
Notable Publications	positive-strand RNA Picornovirus, ener trachomatis, Toxoplasma gondii, and Author Pul Matthew Charman 34 Mary Akinyi Nyonda 33	d Salmonella enterica. bmed ID Journ 621686 Front	al Cell Infect Mici Microbiol	ells, the inhibition of	itis virus and the Chlamydia Application WB	
	positive-strand RNA Picornovirus, ener trachomatis, Toxoplasma gondii, and Author Pul Matthew Charman 344 Mary Akinyi Nyonda 334 Motoi Fukumoto 255 Storage: Storage: Storage Buffer: PBS with 0.02% sodium azide and 500	d Salmonella enterica. bmed ID Journ 621686 Front 040458 Cell N 098609 Cance ter shipment. % glycerol, pH7.3	al Cell Infect Mici Microbiol	ells, the inhibition of	itis virus and the Chlamydia Application WB IF	
Notable Publications Storage	positive-strand RNA Picornovirus, ener trachomatis, Toxoplasma gondii, and Author Pul Matthew Charman 344 Mary Akinyi Nyonda 334 Motoi Fukumoto 255 Storage: Storage: Storage Buffer:	d Salmonella enterica. bmed ID Journ 621686 Front 040458 Cell N 098609 Cance ter shipment. % glycerol, pH7.3	al Cell Infect Mici Microbiol	ells, the inhibition of	itis virus and the Chlamydia Application WB IF	

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data






Human placenta tissue were subjected to SDS PAGE followed by western blot with 15303-1-AP (GBP1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human spleen tissue slide using 15303-1-AP (GBP1 antibody) at dilution of 1:200 (under 10x lens).

Immunohistochemical analysis of paraffinembedded human spleen tissue slide using 15303-1-AP (GBP1 antibody) at dilution of 1:200 (under 40x lens).



IP result of anti-GBP1 (IP:15303-1-AP, 4ug; Detection:15303-1-AP 1:600) with human placenta tissue lysate 4000ug.



Immunofluorescent analysis of MCF-7 cells, using GBP1 antibody 15303-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).