For Research Use Only PDXK Polyclonal antibody

Catalog Number:15309-1-AP 3 Publications




Basic Information	Catalog Number: 15309-1-AP	GenBank Accession Number: BC000123	Purification Method: Antigen affinity purification	
	Size:	GeneID (NCBI):	Recommended Dilutions:	
	150ul , Concentration: 600 ug/ml by	8566	WB 1:2000-1:16000	
	Nanodrop;	UNIPROT ID:	IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Source: Rabbit	000764	IHC 1:1000-1:4000	
	Isotype:	Full Name: pyridoxal (pyridoxine, vitamin	B6)	
	IgG kinase			
	Immunogen Catalog Number: AG7451	Calculated MW: 35 kDa		
		Observed MW: 40 kDa, 35 kDa		
Applications	Tested Applications:	Positive Controls:		
			a cells, LO2 cells, mouse liver tissue, mouse	
	Cited Applications: WB, IHC, IF	spinal cord, rat liver tissue		
	Species Specificity:	IP : mouse liver tissue,		
	human, mouse, rat	H(thuman urothelial carcinoma fissue		
	Cited Species:			
	human, mouse			
	human, mouse Note-IHC: suggested antigen (TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0	vely, antigen		
Background Information	Note-IHC: suggested antigen i TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0	vely, antigen vith citrate	ners to the active cofactor pyridoxal 5'-	
	Note-IHC: suggested antigen i TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0 PDXK encodes for a pyridoxal kinase phosphate (PLP).	vely, antigen vith citrate	ners to the active cofactor pyridoxal 5'- Application	
_	Note-IHC: suggested antigen of TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0 PDXK encodes for a pyridoxal kinase phosphate (PLP). Author Pu	vely, antigen vith citrate , which converts inactive B6 vitar	Application	
Background Information Notable Publications	Note-IHC: suggested antigen of TE buffer pH 9.0; (*) Alternati retrieval may be performed we buffer pH 6.0PDXK encodes for a pyridoxal kinase phosphate (PLP).AuthorPu Xiaoqiang Wu38	vely, antigen vith citrate , which converts inactive B6 vitar bmed ID Journal	Application	
	Note-IHC: suggested antigen in TE buffer pH 9.0; (*) Alternati retrieval may be performed we buffer pH 6.0PDXK encodes for a pyridoxal kinase phosphate (PLP).AuthorPu Xiaoqiang WuXiaoqiang Wu37	vely, antigen vith citrate , which converts inactive B6 vitar bmed ID Journal 918324 Drug Deliv Trar	Application nsl Res WB	
	Note-IHC: suggested antigen of TE buffer pH 9.0; (*) Alternati retrieval may be performed we buffer pH 6.0PDXK encodes for a pyridoxal kinase phosphate (PLP).AuthorPu Xiaoqiang WuXiaoqiang Wu38Min Yu37Ruina WangStorage: Storage Buffer: PBS with 0.02% sodium azide and 50	vely, antigen vith citrate , which converts inactive B6 vitar bmed ID Journal 918324 Drug Deliv Trar 925638 Cell Rep 752106 Nat Commun ter shipment.	Application nsl Res WB IF,IHC	
Notable Publications	Note-IHC: suggested antigen of TE buffer pH 9.0; (*) Alternati retrieval may be performed we buffer pH 6.0PDXK encodes for a pyridoxal kinase phosphate (PLP).AuthorPu Xiaoqiang WuXiaoqiang Wu37Ruina WangStorage: Storage Buffer:	vely, antigen vith citrate , which converts inactive B6 vitar bmed ID Journal 918324 Drug Deliv Trar 925638 Cell Rep 752106 Nat Commun ter shipment.	Application nsl Res WB IF,IHC	

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 15309-1-AP (PDXK antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours. IP result of anti-PDXK (IP:15309-1-AP, 4ug; Detection:15309-1-AP 1:500) with mouse liver tissue lysate 6000 ug. Immunohistochemical analysis of paraffinembedded human urothelial carcinoma tissue slide using 15309-1-AP (PDXK antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).