For Research Use Only

Mesothelin Polyclonal antibody

Catalog Number: 15600-1-AP



Basic Information

Catalog Number:

GenBank Accession Number:

BC003512

15600-1-AP

GeneID (NCBI):

150ul , Concentration: 133 μ g/ml by 10232 Bradford method using BSA as the

UNIPROT ID:

standard;

Q13421 Full Name:

Source: Rabbit Isotype:

mesothelin Calculated MW:

69 kDa

Immunogen Catalog Number: AG7981

Purification Method: Antigen affinity purification Recommended Dilutions:

IHC 1:50-1:500

Applications

Tested Applications:

WB, IHC, ELISA

Species Specificity:

human

Positive Controls:

IHC: human ovary tumor tissue, human pancreas

cancer tissue

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Mesothelin (MSLN) is a 40kDa GPI-anchored surface glycoprotein that is expressed on pleural and peritoneal mesothelial cells, but not in other non-neoplastic tissues. The mesothelin gene encodes a 69-71kDa precursor protein that is processed to a 40kDa membrane-bound protein termed mesothelin and a 31kDa shed fragment called megakaryocyte-potentiating factor (MPF) that is released from the cell. Mesothelin is a tumor differentiation antigen present at low levels on a restricted set of normal adult tissues (e.g. mesothelium), and is expressed at high levels in mesotheliomas, as well as ovarian, pancreatic, and lung cancers. Mesothelin may be a new target for immunotherapy (PMID: 20922056, 18691948, 15217923).

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data

Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 15600-1-AP (mesothelin antibody at dilution of 1:100 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 15600-1-AP (mesothelin antibody at dilution of 1:100 (under 40% lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).