For Research Use Only

NDFIP1 Polyclonal antibody

Catalog Number: 15602-1-AP 3 Publications



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method: Antigen affinity purification

15602-1-AP

GeneID (NCBI):

BC004317

Size:

80762

Recommended Dilutions:

150ul , Concentration: 600 ug/ml by Nanodrop:

UNIPROT ID:

WB 1:500-1:2000

Q9BT67

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Rabbit

Full Name:

protein lysate IF/ICC 1:50-1:500

Isotype: IgG

Nedd4 family interacting protein 1 Calculated MW:

Immunogen Catalog Number:

25 kDa

AG7985

Observed MW:

25-30 kDa

Applications

Tested Applications:

WB, IF/ICC, IP, ELISA

Cited Applications:

WB, IF, IP

Species Specificity:

human, mouse, rat

Cited Species:

human

Positive Controls:

WB: HEK-293 cells, HeLa cells, SH-SY5Y cells

IP: HEK-293 cells,

IF/ICC: HEK-293 cells,

Background Information

Ndfip1 is an adaptor protein for the Nedd4 family of ubiquitin ligases and has been found to be upregulated in neurons after brain injury, including head trauma, stroke and metal toxicity. Recent studies confirmed the role of Ndfip1 as a regulator of iron metabolism and pointed out that Ndfip1 was involved in iron homeostasis by regulating the degradation of iron importer divalent metal transporter 1. Ndfip1 is a transmembrane protein that is localized to the Golgi and post-Golgi vesicles such as endosomes. It is an adaptor protein that recruits E3 ligases to ubiquitinate target proteins. It is ubiquitously expressed and contains 2 PY motifs, which interact with several Nedd4 family E3s to degradate proteins.

Notable Publications

Author	Pubmed ID	Journal	Application
Juan F Linares	34560002	Mol Cell	IP
Yongjian Li	35264565	Cell Death Discov	WB,IF,IP
Chenmengxiao Roderick Pan	39215100	Nat Chem Biol	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 15602-1-AP (NDFIP1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP result of anti-NDFIP1 (IP:15602-1-AP, 3ug; Detection:15602-1-AP 1:300) with HEK-293 cells lysate 3200ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using NDFIP1 antibody (15602-1-AP) at dilution of 1:200 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002), CL594-Phalloidin (red).