For Research Use Only

PCBD1 Polyclonal antibody Catalog Number:15702-1-AP





Basic Information	Catalog Number: 15702-1-AP	GenBank Accession Number: BC006324	Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI):	Recommended Dilutions:	
	Nanodrop and 487 ug/ml by Bradford method using BSA as the standard; Source: Rabbit	5092 UNIPROT ID: P61457	WB 1:500-1:1000 IHC 1:50-1:500 IF/ICC 1:50-1:500	
				Full Name: pterin-4 alpha-carbinolamine
		dehydratase/dimerization cofactor of hepatocyte nuclear factor 1 alpha		
		Immunogen Catalog Number: AG8331	Calculated MW: 104 aa, 12 kDa	
		Observed MW: 12 kDa		
	Applications	Tested Applications:	Positi	ve Controls:
WB, IHC, IF/ICC, ELISA		WB : n	WB : mouse pancreas tissue,	
Species Specificity: human, mouse Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0		IHC : human liver cancer tissue, mouse liver tissue		
		C : HeLa cells,		
Background Information	PCBD1, also known as DCOH and PCBD, belongs to the pterin-4-alpha-carbinolamine dehydratase family. PCBD1 is a bifunctional protein that acts as an enzyme in the regeneration of cofactor tetrahydrobiopterin (BH4), crucial for the function of aromatic amino acid hydroxylases, and as a dimerization cofactor of transcription factors HNF1A and HNF1B, important in liver and pancreas development and function. PCBD1 is expressed in the developing pancreas. The calculated molecular weight of PCBD1 is 12 kDa (PMID: 24204001, 24848070).			
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50	•		
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s	torage		

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 15702-1-AP (PCBD1 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours. Immunofluorescent analysis of (4% PFA) fixed HeLa cells using PCBD1 antibody (15702-1-AP) at dilution of 1:200 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002), CL594-phalloidin (red).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15702-1-AP (PCBD1 antibody) at dilution of 1:100 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).