For Research Use Only

## HSPB11 Polyclonal antibody

Catalog Number:15732-1-AP

Featured Product 19 Publications




Basic Information	Catalog Number: 15732-1-AP	•		Purification Method: Antigen affinity purification		
	Size: 150ul, Concentration: 400 ug/ml by Nanodrop and 200 ug/ml by Bradford method using BSA as the standard; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG8490			Recommended Dilutions: WB 1:1000-1:6000		
					UNIPROT ID: Q9Y547 Full Name: heat shock protein family B (small),	
		member 11 Calculated MW:				
		144 aa, 16 kDa				
		Observed MV 16-20 kDa	V:			
		Applications	Tested Applications: WB, ELISA	Positive Controls: WB : A549 cells, HeLa cells		
			Cited Applications: WB, IHC, IF			
Species Specificity: human, mouse, rat						
Cited Species: human, mouse, rat						
Background Information	HSPB11 (Heat shock protein beta-11), also known as IFT25, was originally identified as a small heat shock protein. Recently it has been identified as a component of IFT complex B. It has been demonstrated that IFT25 is not required for ciliary assembly but is required for proper Hedgehog signaling, which in mammals occurs within cilia. Cilia lacking IFT25 have defects in the signal-dependent transport of multiple Hedgehog components and fail to activate the pathway upon stimulation.					
Notable Publications	Author Pub	med ID	Journal	Amplication		
		964737	Dev Biol	Application WB		
		589662	Nat Cell Biol	WB		
		241915	EMBO J	WB		
Storage	Storage:					
Storage	Storage: Store at -20°C. Stable for one year after Storage Buffer: PBS with 0.02% sodium azide and 50° Aliquoting is unnecessary for -20°C st	% glycerol, pH	17.3			

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 15732-1-AP (HSPB11 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.