

For Research Use Only

SLC7A4 Polyclonal antibody

Catalog Number: 15748-1-AP

1 Publications



Basic Information

Catalog Number: 15748-1-AP	GenBank Accession Number: BC008814	Purification Method: Antigen affinity purification
Size: 150ul, Concentration: 600 ug/ml by Nanodrop and 347 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 6545	Recommended Dilutions: WB 1:200-1:1000 IHC 1:50-1:500 IF/ICC 1:10-1:100
Source: Rabbit	UNIPROT ID: O43246	
Isotype: IgG	Full Name: solute carrier family 7 (cationic amino acid transporter, y+ system), member 4	
Immunogen Catalog Number: AG8211	Calculated MW: 635 aa, 68 kDa	
	Observed MW: 68 kDa	

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA	Positive Controls: WB : mouse brain tissue, human liver tissue IHC : mouse brain tissue, IF/ICC : Hela cells,
Cited Applications: IHC	
Species Specificity: human, mouse	
Cited Species: human	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Notable Publications

Author	Pubmed ID	Journal	Application
Ronghua Yang	34458265	Front Cell Dev Biol	IHC

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



mouse brain tissue were subjected to SDS PAGE followed by western blot with 15748-1-AP (SLC7A4 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 15748-1-AP (SLC7A4 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of HeLa cells, using SLC7A4 antibody 15748-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).