For Research Use Only NDUFA2 Polyclonal antibody

Catalog Number:15889-1-AP





Basic Information	Catalog Number: 15889-1-AP	GenBank Accession Number: BC003674	Purification Method: Antigen affinity purification	
	Size: 150ul, Concentration: 600 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG8675	GeneID (NCBI): 4695 UNIPROT ID: 043678 Full Name: NADH dehydrogenase (ubiquinone alpha subcomplex, 2, 8kDa Calculated MW: 99 aa, 11 kDa Observed MW: 11 kDa	Recommended Dilutions: WB 1:1000-1:4000 IHC 1:250-1:1000	
Applications	Tested Applications: WB, IHC, ELISA Species Specificity: human, mouse, rat Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0	WB : mouse tissue IHC : mouse retrieval with vely, antigen	Positive Controls: WB : mouse heart tissue, mouse liver tissue, rat heart tissue IHC : mouse heart tissue,	
Background Information	NDUFA2(NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2), also known as NADH ubiquinone oxidoreductase B8 subunit, is one of accessory subunits of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I). NDUFS2 is vital for growth, ROS generation, membrane integrity, apoptosis, and mitochondrial energetics.			
Storage *** 20ul sizes contain 0.1% BSA	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50 Aliquoting is unnecessary for -20°C s	% glycerol pH 7.3.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 15889-1-AP (NDUFA2 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 15889-1-AP (NDUFA2 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 15889-1-AP (NDUFA2 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).