## For Research Use Only

## **UBR4** Polyclonal antibody

Catalog Number: 15966-1-AP



**Basic Information** 

Catalog Number:

15966-1-AP

GenBank Accession Number:

Antigen affinity purification

Size:

Isotype:

GeneID (NCBI):

150ul, Concentration: 260 ug/ml by 23352 Nanodrop and 213 ug/ml by Bradford  $\,$  UNIPROT ID:

method using BSA as the standard;

BC018694

Q5T4S7

Source: Full Name: Rabbit

ubiquitin protein ligase E3 component n-recognin 4

Calculated MW: Immunogen Catalog Number: 5183 aa. 570 kDa

AG8740 Observed MW:

570 kDa, 270 kDa

**Purification Method:** 

Recommended Dilutions: WB 1:1000-1:4000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:200-1:800 IF/ICC 1:50-1:500

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, IP, ELISA

Species Specificity:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, HeLa cells, mouse kidney tissue

IP: HeLa cells,

IHC: human pancreas cancer tissue, mouse testis

tissue, human lung cancer tissue

IF/ICC: HeLa cells,

## **Background Information**

UBR4 (ubiquitin N-recognin domain-containing E3 ligase 4), also named P600, is an E3 ligase that can bind N-end rule substrates. UBR4-deficient mice die during embryogenesis and exhibit pleiotropic abnormalities (PMID: 23431188). UBR4 plays a role in membrane morphogenesis and extracellular matrix-mediated cell survival and signaling, human papillomavirus (HPV) E7-mediated cellular immortalization, and migration and development of neurons (PMID: 33658508, 25084275). The full-length UBR4 protein has a predicted size of ~570 kDa.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

E: proteintech@ptglab.com


W: ptglab.com

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 15966-1-AP (UBR4 antibody) at dilution of 1:400 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 15966-1-AP (UBR4 antibody) at dilution of 1:400 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to Tris-acetate gel system followed by western blot with 15966-1-AP (UBR4 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using UBR4 antibody (15966-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L).



IP result of anti-UBR4 (IP:15966-1-AP, 4ug; Detection:15966-1-AP 1:2000) with HeLa cells lysate 1760 ug.