

For Research Use Only

dGK Polyclonal antibody

Catalog Number: 16314-1-AP



Basic Information

Catalog Number: 16314-1-AP	GenBank Accession Number: BC015757	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 180 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 1716	Recommended Dilutions: WB 1:500-1:1000 IHC 1:20-1:200
Source: Rabbit	Full Name: deoxyguanosine kinase	
Isotype: IgG	Calculated MW: 277 aa, 32 kDa	
Immunogen Catalog Number: AG9361	Observed MW: 28-32 kDa, 56-64 kDa	

Applications

Tested Applications: IHC, WB, ELISA	Positive Controls:
Species Specificity: human, mouse, rat	WB : mouse kidney tissue, IHC : human hepatocirrhosis tissue,
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

Deoxyguanosine kinase (dGK) deficiency is a frequent cause of mitochondrial DNA depletion associated with a hepatocerebral phenotype. dGK is a member of the deoxyribonucleoside kinase family involved in phosphorylation of deoxyribonucleosides. In mammals, there are four deoxyribonucleoside kinases with overlapping specificities: two cytoplasmic enzymes, thymidine kinase 1 (TK1) and deoxycytidine kinase (dCK), and two mitochondrial enzymes, thymidine kinase 2 (TK2) and deoxyguanosine kinase (dGK). The human dGK protein is highly specific for purine substrates. Human dGK is a dimer of two identical subunits of 30 kDa. The three-dimensional structure of the human dGK monomer has been reported, providing an explanation for the substrate specificity of the enzyme. (PMID: 29786478, PMID: 11427893, PMID: 17073823)

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



mouse kidney tissue were subjected to SDS PAGE followed by western blot with 16314-1-AP (dGK antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human hepatocirrhosis using 16314-1-AP (dGK antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human hepatocirrhosis using 16314-1-AP (dGK antibody) at dilution of 1:100 (under 40x lens).