

For Research Use Only

HARS Polyclonal antibody

Catalog Number: 16375-1-AP

Featured Product

3 Publications



Basic Information

Catalog Number:

16375-1-AP

Size:

150ul, Concentration: 400 ug/ml by Nanodrop and 300 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG9333

GenBank Accession Number:

BC011807

GeneID (NCBI):

3035

UNIPROT ID:

P12081

Full Name:

histidyl-tRNA synthetase

Calculated MW:

509 aa, 57 kDa

Observed MW:

50 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

IHC 1:50-1:500

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : mouse liver tissue, HeLa cells, human kidney tissue, K-562 cells, mouse brain tissue, mouse heart tissue, mouse lung tissue

IHC : human stomach tissue,

Background Information

HARS is a cytoplasmic enzyme that belongs to the class II family of aminoacyl-tRNA synthetases. The enzyme is responsible for the synthesis of histidyl-transfer RNA, which is essential for the incorporation of histidine into proteins. HARS is located in a head-to-head orientation with HARSL on chromosome five, where the homologous genes share a bidirectional promoter. The gene product is a frequent target of autoantibodies in the human autoimmune disease polymyositis/dermatomyositis. The D364Y (Asp364-to-Tyr) mutation of HARS1 inhibits morphological differentiation of neuronal cells (PMID: 35380399).

Notable Publications

Author	Pubmed ID	Journal	Application
Maria C Passarelli	35288656	Nat Cell Biol	WB
Fangchao Jiang	38754722	Neuroscience	WB
Wei Fan	38438409	Sci Rep	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



mouse liver tissue were subjected to SDS PAGE followed by western blot with 16375-1-AP (HARS antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.

WB result of HARS antibody (16375-1-AP; 1:20000; incubated at room temperature for 1.5 hours) with sh-Control and sh-HARS transfected HeLa cells.



Immunohistochemical analysis of paraffin-embedded human stomach tissue slide using 16375-1-AP (HARS antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).