

For Research Use Only

POLR2J Polyclonal antibody

Catalog Number: 16403-1-AP

Featured Product

4 Publications



Basic Information

Catalog Number:

16403-1-AP

Size:

150ul, Concentration: 147 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG9520

GenBank Accession Number:

BC024165

GeneID (NCBI):

5439

UNIPROT ID:

P52435

Full Name:

polymerase (RNA) II (DNA directed) polypeptide J, 13.3kDa

Calculated MW:

115 aa, 13 kDa

Observed MW:

13 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:3000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:20-1:200

IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse, rat

Cited Species:

mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : A549 cells, human brain tissue, HeLa cells, MCF-7 cells

IP : A549 cells,

IHC : human heart tissue,

IF/ICC : A549 cells,

Notable Publications

Author	Pubmed ID	Journal	Application
Yuanjun Li	36113479	Mol Cell	WB
Yongpeng Jiang	36443871	Genome Biol	
Fei Ke	34991685	Cell Biosci	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




IP result of anti-POLR2J (IP:16403-1-AP, 4ug;
Detection:16403-1-AP 1:500) with A549 cells lysate
2600 ug.



Various lysates were subjected to SDS PAGE
followed by western blot with 16403-1-AP (POLR2J
antibody) at dilution of 1:1500 incubated at room
temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-
embedded human heart using 16403-1-AP (POLR2J
antibody) at dilution of 1:100 (under 10x lens).



Immunofluorescent analysis of (10%
Formaldehyde) fixed A549 cells using 16403-1-AP
(POLR2J antibody) at dilution of 1:50 and Alexa
Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).