For Research Use Only

TMUB1 Polyclonal antibody

Catalog Number: 16638-1-AP



Purification Method:

WB 1:500-1:1000

IF/ICC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

16638-1-AP BC000936 GeneID (NCBI):

150ul, Concentration: 280 ug/ml by 83590 Nanodrop and 140 ug/ml by Bradford $\,$ UNIPROT ID: method using BSA as the standard; Q9BVT8 Source: Full Name:

Rabbit transmembrane and ubiquitin-like

Isotype domain containing 1 IgG Calculated MW: Immunogen Catalog Number: 26 kDa

AG9988 Observed MW:

27 kDa, 24 kDa

Applications

Tested Applications: Positive Controls:

WB, IF/ICC, ELISA WB: HuH-7 cells, LO2 cells Species Specificity:

IF/ICC: LO2 cells,

Background Information

Transmembrane and ubiquitin-like domain-containing protein 1 (TMUB1), also referred to as hepatocyte odd protein shuttling (HOPS), is a transmembrane ubiquitin-like protein that was originally identified in the regenerated liver. HOPS is a transmembrane protein released into the cell by an enzymatic cleavage. This allows HOPS to be shuttled from the nucleus to the cytoplasm and vice versa, depending on cell cycle and environmental stress conditions. HOPS cDNA expression gives rise to the translation of three different proteins with distinct molecular weights of 27, 24 and 21 kDa, respectively. The three isoforms of HOPS are differentially expressed depending on the tissue being examined. In the brain, the shortest isoform prevails over the other, whereas in the intestine the higher molecular weight isoform prevails among the other two. Indeed, HOPS shows a different concentration of the three isoforms, which can play different cell-dependent functions. The ratio between different isoforms may vary owing to physiopathological changes in the cell (PMID:32860479).16638-1-AP can detect two bands and some literature also detected two bands (PMID:30610893, 29777440, 29967478)

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 16638-1-AP (TMUB1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Methanol) fixed LO2 cells using TMUB1 antibody (16638-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L).