

For Research Use Only

DGAT2 Polyclonal antibody

Catalog Number: 17100-1-AP **3 Publications**



Basic Information

Catalog Number: 17100-1-AP	GenBank Accession Number: BC015234	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 400 µg/ml by Nanodrop;	GeneID (NCBI): 84649	Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:500
Source: Rabbit	UNIPROT ID: Q96PD7	
Isotype: IgG	Full Name: diacylglycerol O-acyltransferase homolog 2 (mouse)	
Immunogen Catalog Number: AG10719	Calculated MW: 388 aa, 44 kDa	
	Observed MW: 39 kDa, 44kDa	

Applications

Tested Applications: WB, IHC, ELISA	Positive Controls:
Cited Applications: WB, IF	WB : mouse adipose tissue, L02 cells
Species Specificity: human, mouse, rat	IHC : human liver tissue,
Cited Species: human, rat, mouse	

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Diacylglycerol acyltransferase 2 (DGAT2) is an integral membrane protein and major enzyme that catalyzes the final step of triacylglycerol (TG) synthesis in eukaryotes (PMID: 21680734). DGAT2 is present in mitochondria-associated membranes, specialized domains of the ER that are highly enriched in lipid synthetic enzymes (PMID: 19049983). DGAT2 isoforms (39 kDa, 44kDa) have major differences in acyl-CoA substrate specificity toward erucoyl-CoA.

Notable Publications

Author	Pubmed ID	Journal	Application
Huiduo Guo	34695613	Ecotoxicol Environ Saf	WB
Dong Guo	38017147	Cell Death Differ	IF
Liyang Ma	37516440	J Appl Microbiol	WB

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 17100-1-AP (DGAT2 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver tissue slide using 17100-1-AP (DGAT2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 17100-1-AP (DGAT2 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.