For Research Use Only

ANUBL1 Polyclonal antibody

Catalog Number: 17478-1-AP



Basic Information

Catalog Number: GenBank Accession Number: 17478-1-AP BC048968

Size: GeneID (NCBI):

150ul , Concentration: 500 µg/ml by 93550 Nanodrop; Full Name

Source: AN1, ubiquitin-like, homolog

Rabbit (Xenopus laevis)
Isotype: Calculated MW:
IgG 653 aa, 72 kDa
Immunogen Catalog Number: Observed MW:
AG11505 70-80 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:1000-1:6000 IHC 1:50-1:500

Applications

Tested Applications:

IHC, WB, ELISA
Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: MCF-7 cells, mouse kidney tissue, mouse liver

tissue, rat kidney tissue

IHC: human stomach cancer tissue.

Background Information

ANUBL1 is also named as ZFAND4. The expression of ANUBL1 was specifically upregulated in gastric cancer and it was positively associated with grades of gastric cancer. Moreover, it promoted proliferation of gastric cancer SGC-7901 cells. The mechanism of ANUBL1 upregulation in gastric cancer is that miR-182 suppressed the expression of ANUBL1 through targeting its 3'UTR, and ANUBL1 could downregulate the expression of anti-proliferation-associated miRNAs (miR-148b, miR-375 and miR-182) in SGC-7901 cells. The calculated molecular weight of ANUBL1 is 80 kDa (PMID: 25682742).

Storage

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 17478-1-AP (ANUBL1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 17478-1-AP (ANUBL1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).