

For Research Use Only

MYOM3 Polyclonal antibody, PBS Only

Catalog Number: 17692-1-PBS



Basic Information

Catalog Number:	17692-1-PBS	GenBank Accession Number:	BC067101	Purification Method:
Size:	100ug, Concentration: 1 mg/ml by Nanodrop;	GenID (NCBI):	127294	Antigen affinity purification
Source:	Rabbit	UNIPROT ID:	Q5VTT5	
Isotype:	IgG	Full Name:	myomesin family, member 3	
Immunogen Catalog Number:	AG11849	Calculated MW:	162 kDa, 136 kDa	
		Observed MW:	162 kDa	

Applications

Tested Applications:
WB, IHC, IF-P, IP, Indirect ELISA

Species Specificity:
human, mouse, rat

Background Information

MYOM3 (myomesin 3) is a structural component of the M-band in striated muscle and is involved in sarcomere stability and resistance during intense or sustained stretching. MYOM3 can be detected mainly in intermediate-speed fibers of skeletal muscle. Recently high levels of MYOM3 fragments were detected in sera from patients with muscular dystrophy, including Duchenne muscular dystrophy (DMD). MYOM3 fragments may be used as serum biomarkers for DMD and other neuromuscular disorders. This antibody recognizes the intact MYOM3 protein (160-162 kDa) as well as MYOM3 fragments (100 kDa and 130 kDa). (26060189)


Storage

Storage:
Store at -80°C.
Storage Buffer:
PBS only, pH7.3


For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 17692-1-AP (MYOM3 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 17692-1-PBS in a different storage buffer formulation.




IP result of anti-MYOM3 (IP:17692-1-AP, 4ug; Detection:17692-1-AP 1:1000) with mouse skeletal muscle tissue lysate 1280 ug. This data was developed using the same antibody clone with 17692-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffin-embedded human skeletal muscle tissue slide using 17692-1-AP (MYOM3 Antibody) at dilution of 1:200 (under 10x lens). This data was developed using the same antibody clone with 17692-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffin-embedded human skeletal muscle tissue slide using 17692-1-AP (MYOM3 Antibody) at dilution of 1:200 (under 40x lens). This data was developed using the same antibody clone with 17692-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse skeletal muscle tissue slide using 17692-1-AP (MYOM3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 17692-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse skeletal muscle tissue slide using 17692-1-AP (MYOM3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 17692-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed mouse skeletal muscle tissue using MYOM3 antibody (17692-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). This data was developed using the same antibody clone with 17692-1-PBS in a different storage buffer formulation.