

For Research Use Only

RAB1B Polyclonal antibody

Catalog Number: 17824-1-AP

Featured Product

15 Publications



Basic Information

Catalog Number: 17824-1-AP	GenBank Accession Number: BC071169	Purification Method: Antigen affinity purification
Size: 150ul, Concentration: 200 ug/ml by Nanodrop and 173 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 81876	Recommended Dilutions: WB 1:1000-1:6000 IHC 1:50-1:500 IF/ICC 1:200-1:800
Source: Rabbit	UNIPROT ID: Q9H0U4	
Isotype: IgG	Full Name: RAB1B, member RAS oncogene family	
Immunogen Catalog Number: AG12197	Calculated MW: 201 aa, 22 kDa	
	Observed MW: 22-25 kDa	

Applications

Tested Applications:
WB, IHC, IF/ICC, ELISA

Cited Applications:
WB, IHC, IF, IP, CoIP

Species Specificity:
human, mouse

Cited Species:
human, mouse, rat, pig, monkey

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A375 cells, HeLa cells, HAP1, A431 cells, NIH/3T3 cells

IHC: human heart tissue, mouse heart tissue, human ovary tumor tissue

IF/ICC: HeLa cells, NIH/3T3 cells

Background Information

Ras-related protein Rab-1B (RAB1B) belongs to the small GTPase superfamily and Rab family. Rab1b, a GTPase regulating secretory transport, was recently associated with targeting proteins to LDs in a Drosophila RNAi screen. Rab1b recruits lipid-synthesizing enzymes, facilitating Lipid droplets (LDs) growth. The small GTPase Rab1b interacts with diacylglycerol acyltransferase 2 to facilitate its targeting to the surface of lipid droplets (PMID: 38809969). Rab1b, an extensively studied and established master regulator of ER-to-Golgi transport. The mechanism of Rab1b's function is to promote ER to LD surface targeting of those triglyceride-synthesizing enzymes that can associate with the unique lipid monolayer comprising the LD surface (PMID: 38809969). Rab1b is a regulatory protein involved in both COPI and COPII transport (PMID: 17429068).

Notable Publications

Author	Pubmed ID	Journal	Application
Miao Zhang	36175800	Int J Legal Med	WB
Hao Bo	30588252	J Cancer	WB
Janice D Thomas	25446900	Cancer Cell	WB

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 17824-1-AP (RAB1B antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




WB result of RAB1B antibody (17824-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-RAB1B transfected HeLa cells.




Immunohistochemical analysis of paraffin-embedded human heart tissue slide using 17824-1-AP (RAB1B Antibody) at dilution of 1:200 (under 10x lens).




Immunohistochemical analysis of paraffin-embedded human heart tissue slide using 17824-1-AP (RAB1B Antibody) at dilution of 1:200 (under 40x lens).




Immunohistochemical analysis of paraffin-embedded human ovary tumor tissue slide using 17824-1-AP (RAB1B antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human ovary tumor tissue slide using 17824-1-AP (RAB1B antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of NIH/3T3 cells using 17824-1-AP (RAB1B antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using RAB1B antibody (17824-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L).