

For Research Use Only

OPCML Polyclonal antibody

Catalog Number: 17962-1-AP



Basic Information

Catalog Number:

17962-1-AP

Size:

150ul, Concentration: 350 ug/ml by Nanodrop;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG12560

GenBank Accession Number:

BC074773

GeneID (NCBI):

4978

UNIPROT ID:

Q14982

Full Name:

opioid binding protein/cell adhesion molecule-like

Calculated MW:

345 aa, 38 kDa

Observed MW:

45 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

Applications

Tested Applications:

WB, ELISA

Species Specificity:

human, mouse, rat

Positive Controls:

WB : mouse pancreas tissue, rat pancreas tissue

Background Information

OPCML, also called opioid-binding cell adhesion molecule (OBCAM), belongs to the IgLON limbic system-associated membrane protein (LSAMP, OPCML/OBCAM, neurotrimin) family of IgG domain containing glycosylphosphatidylinositol-anchored cell adhesion molecules. Originally isolated from brain, OPCML is also expressed in stomach, ovary, heart, placenta, testis, kidney, liver, pancreas and colon. OPCML has been identified as a tumour suppressor, which inhibited tumor growth in some cancers including ovarian cancer, lung cancer and prostate cancer (PMID: 19176311; 28407749).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 17962-1-AP (OPCML antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.