For Research Use Only

OXT Polyclonal antibody

Catalog Number: 18041-1-AP 1 Publications



Basic Information

Catalog Number:

GenBank Accession Number: BC101841

GeneID (NCBI): Size:

150ul , Concentration: 600 ug/ml by Nanodrop;

UNIPROT ID: P01178 Rabbit Full Name:

Isotype: oxytocin, prepropeptide

IgG Calculated MW: Immunogen Catalog Number: 125 aa, 13 kDa AG12672 Observed MW:

13 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:50-1:500

Applications

Tested Applications:

IHC, IP, ELISA

18041-1-AP

Cited Applications:

IF

Species Specificity: human, mouse, rat

Cited Species: mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

IP: mouse pituitary gland tissue,

IHC: human pituitary tissue, mouse ovary tissue, mouse brain tissue

Notable Publications

Author Pubmed ID Journal Application Armando J Mendez Front Endocrinol (Lausanne) 39764245

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human pituitary tissue slide using 18041-1-AP (OXT antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human pituitary tissue slide using 18041-1-AP (OXT antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-OXT (IP:18041-1-AP, 4ug; Detection:18041-1-AP 1:300) with mouse pituitary gland tissue lysate 1440 ug.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 18041-1-AP (OXT antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).