

For Research Use Only

# HIST1H1T Polyclonal antibody

Catalog Number: 18188-1-AP **2 Publications**



## Basic Information

<b>Catalog Number:</b> 18188-1-AP	<b>GenBank Accession Number:</b> BC069517	<b>Purification Method:</b> Antigen affinity purification
<b>Size:</b> 150ul , Concentration: 450 µg/ml by Nanodrop and 227 µg/ml by Bradford method using BSA as the standard;	<b>GeneID (NCBI):</b> 3010	<b>Recommended Dilutions:</b> WB 1:200-1:1000 IHC 1:400-1:1600
<b>Source:</b> Rabbit	<b>Full Name:</b> histone cluster 1, H1t	
<b>Isotype:</b> IgG	<b>Calculated MW:</b> 206 aa, 22 kDa	
<b>Immunogen Catalog Number:</b> AG12908	<b>Observed MW:</b> 30 kDa	

## Applications

<b>Tested Applications:</b> IHC, WB, ELISA	<b>Positive Controls:</b>
<b>Cited Applications:</b> IF, WB	<b>WB:</b> mouse testis tissue,
<b>Species Specificity:</b> human, mouse	<b>IHC:</b> mouse testis tissue,
<b>Cited Species:</b> mouse	

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

## Background Information

### Notable Publications

Author	Pubmed ID	Journal	Application
Mengneng Xiong	35284939	Biol Reprod	IF
Yingli Guo	28825854	Cell Cycle	WB

## Storage


**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.  
Aliquoting is unnecessary for -20°C storage

**\*\*\* 20ul sizes contain 0.1% BSA**


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)      E: proteintech@ptglab.com  
W: ptglab.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data




Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 18188-1-AP (HIST1H1T antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 18188-1-AP (HIST1H1T antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



mouse kidney tissue were subjected to SDS PAGE followed by western blot with 18188-1-AP (HIST1H1T Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



mouse lung tissue were subjected to SDS PAGE followed by western blot with 18188-1-AP (HIST1H1T Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.