#### For Research Use Only

# Cathepsin V Polyclonal antibody

Catalog Number: 18442-1-AP 1 Publications



**Basic Information** 

Catalog Number:

18442-1-AP

Rabbit

GenBank Accession Number:

BC023504

GeneID (NCBI):

060911

Full Name:

cathepsin L2

Calculated MW: 37 kDa

Observed MW:

Size: 150ul , Concentration: 300 µg/ml by 1515

Nanodrop and 220  $\mu g/ml$  by Bradford UNIPROT ID:

method using BSA as the standard;

Source:

Isotype

Immunogen Catalog Number:

AG13284 26-36 kDa **Purification Method:** Antigen affinity purification Recommended Dilutions:

WB 1:500-1:1000 IHC 1:50-1:500

**Applications** 

**Tested Applications:** 

WB, IHC, ELISA

**Cited Applications:** 

IHC

Species Specificity:

human, mouse, rat

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: mouse testis tissue, human testis tissue, rat liver

IHC: human skin cancer tissue,

## **Background Information**

Cathepsin V is a lysosomal cysteine protease that has an important role in corneal physiology. Cathepsin V was found to be differentially expressed in relation to pigmentary skin backgrounds, and was about 7.5-folds higher in keratinocytes from lightly pigmented, relative to darkly pigmented skins. It is expressed in primary keratinocytes, melanocytes, and HaCaT keratinocytes, but not in primary fibroblasts. The purified cathepsin L2 was a high molecular weight proteinase of about 78 kDa, but it was unstable to SDS and reducing conditions, which dissociated parts of the proteinase into 66 kDa, 31 kDa and 26 kDa fragments(Food Chemistry, Volume 11, Issue 4, 879-886) and it can form a complex of 70 kDa with an unidentified subunit(PMID:1930136).

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Junyu Liu	38051285	Mol Carcinog	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 18442-1-AP (Cathepsin V antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



human testis tissue were subjected to SDS PAGE followed by western blot with 18442-1-AP (Cathepsin V antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded skin cancer slide using 18442-1-AP (Cathepsin V antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded skin cancer slide using 18442-1-AP (Cathepsin V antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).