For Research Use Only

B-Myb Polyclonal antibody

Catalog Number: 18896-1-AP

Featured Product

12 Publications



Basic Information

Catalog Number: 18896-1-AP

BC007585 GeneID (NCBI):

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000

150ul, Concentration: 600 µg/ml by Nanodrop and 400 µg/ml by Bradford Full Name:

GenBank Accession Number:

IP 0.5-4.0 ug for IP and 1:200-1:1000

method using BSA as the standard;

v-myb myeloblastosis viral oncogene for WB homolog (avian)-like 2

IHC 1:50-1:500

Rabbit Calculated MW: 79 kDa Isotype: IgG Observed MW: Immunogen Catalog Number: 90 kDa

AG13525

Size:

Applications

Tested Applications: Positive Controls: IHC, IP, WB, ELISA WB: HeLa cells, **Cited Applications:** IP: HeLa cells. ChIP, IF, IHC, IP, WB IHC: human prostate cancer tissue, Species Specificity:

human **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

MYBL2, also named as BMYB, is a 700 amino acid protein, which is phosphorylated by cyclin A/CDK2 during S-phase. MYBL2 is a transcription factor involved in the regulation of cell survival, proliferation, and differentiation. The calculated molecular weight of MYBL2 is 79 kDa, but modified MYBL2 is about 90 kDa (PMID: 11418655).

Notable Publications

| Author | Pubmed ID | Journal | Application |
|----------|-----------|-------------------|-------------|
| Qun Liu | 36151333 | Cancer Gene Ther | WB,IHC,IP |
| Junqi Fu | 36133745 | Mediators Inflamm | WB |
| Yuri Lee | 36291764 | Cancers (Basel) | WB |

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 18896-1-AP (B-Myb antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



IP Result of anti-B-Myb (IP:18896-1-AP, 4ug; Detection:18896-1-AP 1:300) with HeLa cells lysate 1520ug.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 18896-1-AP (B-Myb antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).