## For Research Use Only

## FAM103A1 Polyclonal antibody

Catalog Number:19422-1-AP 1 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

19422-1-APBC003627Antigen affinity purificationSize:GeneID (NCBI):Recommended Dilutions:150ul , Concentration: 600 ug/ml by<br/>Nanodrop and 333 ug/ml by Bradford<br/>Nanodrop and 333 ug/ml by Bradford83640<br/>UNIPROT ID:WB 1:200-1:1000<br/>IHC 1:250-1:1000

method using BSA as the standard; Q9BTL3

Source: Cull Name of

Source: Full Name:

Rabbit family with sequence similarity 103, Isotype: member A1

IgG Calculated MW:
Immunogen Catalog Number: 118 aa, 14 kDa
AG13749 Observed MW:

14 kDa

**Applications** 

Tested Applications: WB, IHC, IF/ICC, ELISA

**Cited Applications:** 

WB

Species Specificity: human, mouse, rat

Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Positive Controls:** 

WB: A549 cells, MCF-7 cells, PC-3 cells

IHC: mouse lung tissue, human oesophagus cancer

**Purification Method:** 

IF/ICC 1:50-1:500

tissue

IF/ICC: MCF-7 cells,

Background Information

FAM103A1, also named as RNMT-activating mini protein, is a 118 amino acid protein, which belongs to the RAM family. FAM103A1 as a component of mRNA cap binding complex localizes in the nucleus. FAM103A1 is required for efficient mRNA cap methylation and regulates RNMT expression by a post-transcriptional stabilizing mechanism.

**Notable Publications** 

AuthorPubmed IDJournalApplicationMichael J Osborne35026230J Mol BiolWB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




A549 cells were subjected to SDS PAGE followed by western blot with 19422-1-AP (FAM103A1 Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse lung tissue slide using 19422-1-AP (FAM103A1 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunofluorescent analysis of (4% PFA) fixed MCF-7 cells using 19422-1-AP (FAM103A1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffinembedded mouse lung tissue slide using 19422-1-AP (FAM103A1 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human oesophagus cancer tissue slide using 19422-1-AP (FAM103A1 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human oesophagus cancer tissue slide using 19422-1-AP (FAM103A1 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).