

For Research Use Only

TMEM176B Polyclonal antibody

Catalog Number: 19825-1-AP **2 Publications**



Basic Information

Catalog Number: 19825-1-AP	GenBank Accession Number: BC004358	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 400 µg/ml by Nanodrop and 200 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 28959	Recommended Dilutions: WB 1:200-1:1000
Source: Rabbit	Full Name: transmembrane protein 176B	
Isotype: IgG	Calculated MW: 270 aa, 29 kDa	
Immunogen Catalog Number: AG13918	Observed MW: 31 kDa, 23 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : A549 cells, human placenta tissue
Cited Applications: WB	
Species Specificity: human	
Cited Species: human	

Background Information

TMEM176B (also known as LR8) is a transmembrane protein belongs to the MS4A family of proteins. It may play a role in the process of maturation of dendritic cells. TMEM176B was first discovered in human lung fibroblasts and is associated with human small cell lung carcinoma. Studies suggest that TMEM176B might be involved in cancer and might serve as targets for antiangiogenic therapy of cancer patients (PMID: 24602018, 22244448). There are two isoforms produced by alternative splicing.

Notable Publications

Author	Pubmed ID	Journal	Application
Yingying Zeng	35734424	Front Genet	WB
Mercedes Segovia	31085177	Cancer Cell	

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

***** 20ul sizes contain 0.1% BSA**

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



A549 cells were subjected to SDS PAGE followed by western blot with 19825-1-AP (TMEM176B Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.