

For Research Use Only

# ANKRD26 Polyclonal antibody

Catalog Number: 20035-1-AP

1 Publications



## Basic Information

Catalog Number:

20035-1-AP

Size:

150ul, Concentration: 300 ug/ml by Nanodrop and 247 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

NM\_014915

GeneID (NCBI):

22852

UNIPROT ID:

Q9UPS8

Full Name:

ankyrin repeat domain 26

Calculated MW:

196 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

IHC 1:20-1:200

IF/ICC 1:10-1:100

## Applications

Tested Applications:

IHC, IF/ICC, ELISA

Cited Applications:

WB

Species Specificity:

human

Cited Species:

mouse

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

Positive Controls:

IHC : human breast cancer tissue, human colon tissue

IF/ICC : HeLa cells,

## Background Information

ANKRD26 also named as KIAA1074. The antibody recognizes the C-term of ANKRD26.

## Notable Publications

Author	Pubmed ID	Journal	Application
Yuta Takahashi	36754048	Cell	WB

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Immunohistochemical analysis of paraffin-embedded human breast cancer slide using 20035-1-AP (ANKRD26 Antibody) at dilution of 1:50.



Immunofluorescent analysis of HeLa cells using 20035-1-AP (ANKRD26 antibody) at dilution of 1:25 and Rhodamine-Goat anti-Rabbit IgG.