

For Research Use Only

# NOX3-Specific Polyclonal antibody

Catalog Number: 20065-1-AP

6 Publications



## Basic Information

**Catalog Number:**

20065-1-AP

**Size:**

150ul, Concentration: 350 µg/ml by Nanodrop;

**Source:**

Rabbit

**Isotype:**

IgG

**GenBank Accession Number:**

NM\_015718

**GeneID (NCBI):**

50508

**UNIPROT ID:**

Q9HBYO

**Full Name:**

NADPH oxidase 3

**Calculated MW:**

65 kDa

**Observed MW:**

52 kDa

**Purification Method:**

Antigen affinity purification

**Recommended Dilutions:**

WB 1:500-1:1000

## Applications

**Tested Applications:**

WB, ELISA

**Cited Applications:**

WB

**Species Specificity:**

human, mouse

**Cited Species:**

human, mouse

**Positive Controls:**

WB : human brain tissue, mouse brain tissue

## Background Information

NOX3 is a member of NADPH oxidase which constitutively produces superoxide upon formation of a complex with CYBA/p22phox. NOX3 plays a role in the biogenesis of otoconia/otolith, which are crystalline structures of the inner ear involved in the perception of gravity. The antibody is specific to NOX3.

## Notable Publications

Author	Pubmed ID	Journal	Application
Jing Sun	34650437	Front Pharmacol	WB
Raoul Manuel	34064498	Antioxidants (Basel)	WB
Muhammad Zubair Saleem	32021288	Onco Targets Ther	WB

## Storage

**Storage:**

Store at -20°C. Stable for one year after shipment.

**Storage Buffer:**

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



human brain tissue were subjected to SDS PAGE followed by western blot with 20065-1-AP (NOX3-Specific antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.