

For Research Use Only

MLN64 Polyclonal antibody

Catalog Number: 20292-1-AP

Featured Product

1 Publications



Basic Information

Catalog Number: 20292-1-AP	GenBank Accession Number: BC008747	Purification Method: Antigen affinity purification
Size: 150ul, Concentration: 500 µg/ml by Nanodrop;	GeneID (NCBI): 10948	Recommended Dilutions: WB 1:500-1:1000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:20-1:200 IF 1:50-1:500
Source: Rabbit	Full Name: StAR-related lipid transfer (START) domain containing 3	
Isotype: IgG	Calculated MW: 445 aa, 51 kDa	
Immunogen Catalog Number: AG14061	Observed MW: 33-53 kDa	

Applications

Tested Applications:
IF, IHC, IP, WB, ELISA

Cited Applications:
WB

Species Specificity:
human, mouse, rat

Cited Species:
human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: MCF7 cells, mouse placenta tissue, MCF-7 cells, A549 cells, Jurkat cells, mouse brain tissue, rat brain tissue

IP: MCF-7 cells,

IHC: human ovary tumor tissue,

IF: MCF-7 cells,

Background Information

MLN64 (also known as STARD3) is an integral membrane protein anchored in late endosomes. MLN64 has a StAR-related lipid-transfer (START) domain to bind cholesterol, mediating intracellular cholesterol transfer. MLN64 is widely expressed in multiple tissues including liver, spleen, heart, kidney, lung, and the brain. Higher expression of MLN64 has been found in several malignancies. MLN64 can be detected as 33 kDa truncated fragment (PMID:9237999, PMID:15718238).

Notable Publications

Author	Pubmed ID	Journal	Application
Rui Liu	24905460	Autophagy	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of MLN64 antibody (20292-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-MLN64 transfected Jurkat cells.




MCF7 cells were subjected to SDS PAGE followed by western blot with 20292-1-AP (MLN64 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human ovary tumor using 20292-1-AP (MLN64 antibody) at dilution of 1:200 (under 10x lens).




Immunohistochemical analysis of paraffin-embedded human ovary tumor using 20292-1-AP (MLN64 antibody) at dilution of 1:200 (under 40x lens).



IP Result of anti-MLN64, STAR3 (IP:20292-1-AP, 3ug; Detection:20292-1-AP 1:500) with MCF-7 cells lysate 1200ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed MCF-7 cells using 20292-1-AP (MLN64 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 20292-1-AP (MLN64 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.