

PSD95-Specific antibody			Antib W	odies ELISAkits Proteins ww.ptglab.com
Catalog Number:20665-1-A	Featured Product	22 Publications		
Basic Information	Catalog Number: 20665-1-AP Size: 150ul , Concentration: 550 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG	GenBank Accession N NM_001365 GeneID (NCBI): 1742 UNIPROT ID: P78352 Full Name: discs, large homolog Calculated MW: 85 kDa Observed MW: 90-95 kDa	Antigen affi Recommend WB 1:2000-1 IHC 1:200-1 IF-P 1:200-1	nity purification ded Dilutions: 1:16000 :800
Applications	Tested Applications: WB, IHC, IF-P, FC (Intra), ELISA Cited Applications: WB, IHC, IF, CoIP Species Specificity: human, mouse, rat Cited Species: human, mouse, rat, zebrafish, hamst Note-IHC: suggested antigen TE buffer pH 9.0; (*) Alternat retrieval may be performed of buffer pH 6.0	retrieval with ively, antigen		
Background Information	PSD-95 (postsynaptic density protei humans is encoded by the DLG4 (dis family, and engages in several vita suggested that PSD-95 is composed important role in synaptic plasticity Observed MW of PSD95 is 90-95 kDa	iks large homolog 4) gen l protein-protein interact of two supramodules, o and the stabilization of	ne. PSD-95 is a scaffolding pr ttions in the brain with its PD ne of which is the PDZ1-2 tan f synaptic changes during lon	otein of the MAGUK protein Z domains. It has been dem domain. It plays an
Notable Publications	Author Pu	bmed ID Journa	อไ	Application
	Pengcheng Ma 36	179027 Sci Adv	V	WB
			Bioeng Biotechnol pharmacology	IF WB,IF
Storage	Storage: Store at -20°C. Stable for one year a Storage Buffer: PBS with 0.02% sodium azide and 5 Aliguoting is unnecessary for -20°C	0% glycerol, pH7.3		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data






WB result of PSD95-Specific,DLG4 antibody (20665-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PSD95-Specific,DLG4 transfected HeLa cells. Various lysates were subjected to SDS PAGE followed by western blot with 20665-1-AP (PSD95-Specific,DLG4 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



1X10^6 Neuro-2a cells were intracellularly stained with 0.4 ug Anti-Human PSD95-Specific,DLG4 (20665-1-AP) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 20665-1-AP (PSD95-Specific,DLG4 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse brain tissue using PSD95-Specific,DLG4 antibody (20665-1-AP) at dilution of 1:400 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).