For Research Use Only

ZSCAN29 Polyclonal antibody

Catalog Number: 21630-1-AP



Purification Method:

WB 1:5000-1:50000

IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

21630-1-AP BC109271 GeneID (NCBI): 150ul, Concentration: 550 ug/ml by 146050

Nanodrop: **UNIPROT ID:** Q8IWY8 Rabbit Full Name:

Isotype: zinc finger and SCAN domain

containing 29 IgG Immunogen Catalog Number: Calculated MW: 852 aa, 97 kDa AG16239 Observed MW:

96-97 kDa

Applications

Tested Applications: WB, IHC, ELISA

Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

ZSCAN29 (zinc finger and SCAN domain containing 29), also named as ZNF690 or Zfp690. It is predicted to be located in nucleus and ubiquitous expression in testis and lymph node. The calculated molecular weight of ZSCAN29 is 96 kDa. The genes ZSCAN29 (associated with five disorders: SCZ, BIP, MD, ASD and ADHD) and ZSCAN31 (associated with three disorders: SCZ, BIP and MD) encode zing finger transcription factor proteins that belong to the krueppel C2H2-type zinc-finger protein family. Zinc finger proteins are essential in multiple regulatory mechanisms and some have been associated with psychiatric disorders as reviewed by Squassina et al., 2019 (PMID: 34637873). It also enables sequence-specific double-stranded DNA binding activity and be predicted to be involved in regulation of transcription by RNA polymerase II.

Positive Controls:

WB: HeLa cells, HepG2 cells

IHC: human colon tissue,

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 21630-1-AP (ZSCAN29 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 21630-1-AP (ZSCAN29 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 21630-1-AP (ZSCAN29 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).