For Research Use Only

SLITRK3 Polyclonal antibody

Catalog Number: 21649-1-AP

Featured Product

4 Publications



Basic Information

Catalog Number: GenBank Accession Number:

21649-1-AP BC114621 GeneID (NCBI): Size: 150ul, Concentration: 700 ug/ml by 22865

Nanodrop: **UNIPROT ID:** 094933 Rabbit

Full Name: Isotype: SLIT and NTRK-like family, member 3

120-125 kDa

IgG Calculated MW: Immunogen Catalog Number: 977 aa, 109 kDa AG16352 Observed MW:

Applications

Tested Applications: WB, IHC, IP, ELISA

Cited Applications: WB, IHC, IF

Species Specificity: human, mouse, rat **Cited Species:**

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Antigen affinity purification Recommended Dilutions:

WB 1:200-1:1000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

Positive Controls:

WB: mouse brain tissue, IP: mouse brain tissue.

IHC: rat small intestine tissue, mouse brain tissue,

mouse intestine

Notable Publications

Author	Pubmed ID	Journal	Application
Jun Li	29107521	Neuron	WB, IHC
Aliccia Bollig-Fischer	35006496	Mol Biomed	WB,IF
Stephanie Efthymiou	38495551	Front Mol Neurosci	WB

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




mouse brain tissue were subjected to SDS PAGE followed by western blot with 21649-1-AP (SLITRK3 antibody) at dilution of 1:200 incubated at room temperature for 1.5 hours.



IP result of anti-SLITRK3 (IP:21649-1-AP, 4ug; Detection:21649-1-AP 1:300) with mouse brain tissue lysate 4000ug.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 21649-1-AP (SLITRK3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat small intestine tissue slide using 21649-1-AP (SLITRK3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse intestine tissue slide using 21649-1-AP (SLITRK3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse intestine tissue slide using 21649-1-AP (SLITRK3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat small intestine tissue slide using 21649-1-AP (SLITRK3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).