

For Research Use Only

# CACNA1C Polyclonal antibody

Catalog Number: 21774-1-AP

27 Publications



## Basic Information

### Catalog Number:

21774-1-AP

### Size:

150ul, Concentration: 350 ug/ml by Nanodrop and 293 ug/ml by Bradford method using BSA as the standard;

### Source:

Rabbit

### Isotype:

IgG

### Immunogen Catalog Number:

AG16455

### GenBank Accession Number:

BC146846

### GeneID (NCBI):

775

### UNIPROT ID:

Q13936

### Full Name:

calcium channel, voltage-dependent, L type, alpha 1C subunit

### Calculated MW:

249 kDa

### Observed MW:

200 kDa

### Purification Method:

Antigen affinity purification

### Recommended Dilutions:

WB 1:500-1:2000

IHC 1:200-1:800

IF-P 1:50-1:500

## Applications

### Tested Applications:

WB, IHC, IF-P, FC (Intra), ELISA

### Cited Applications:

WB, IHC, IF

### Species Specificity:

human, mouse, rat

### Cited Species:

human, mouse, rat, rabbit

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

### Positive Controls:

WB: mouse heart tissue,

IHC: mouse brain tissue, rat brain tissue, mouse liver tissue

IF-P: mouse brain tissue,

## Background Information

Calcium voltage-gated channel subunit alpha1 C (CACNA1C, also known as CACNA1C and Cav1.2) couples transient activation of inward calcium current to transcriptional regulation and plays an important role in dendritic development, neuronal survival, synaptic plasticity, memory formation, learning, and behavior (PMID: 21248242; 16251435; 20169575; 19047462; 18174367). Genetic variation in CACNA1C has also been associated with depression, schizophrenia, and autism spectrum disorders, as well as changes in brain function and structure in control subjects who have no diagnosable psychiatric illness (PMID: 22705413).

## Notable Publications

Author	Pubmed ID	Journal	Application
Zhangchi Liu	36332480	Biochem Biophys Res Commun	WB
Chao Gao	34667723	Int J Ophthalmol	WB
Yaxiong Yang	35589958	Commun Biol	WB

## Storage

### Storage:

Store at -20°C. Stable for one year after shipment.

### Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 21774-1-AP (CACNA1C antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 21774-1-AP (L-VOCC antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 21774-1-AP (L-VOCC antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using L-VOCC antibody (21774-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using L-VOCC antibody (21774-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10<sup>6</sup> HeLa cells were intracellularly stained with 0.4 ug Anti-Human L-VOCC (21774-1-AP) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).