For Research Use Only

Hexokinase 2 Polyclonal antibody

Catalog Number:22029-1-AP

Featured Product

208 Publications



Basic Information

Catalog Number: 22029-1-AP GenBank Accession Number:

BC021116

: GenelD

GeneID (NCBI):

150ul, Concentration: 700 µg/ml by 309 Nanodrop:

UNIPROT ID:

Source: P52789
Rabbit Full Name:

Isotype: hexokinase 2
IgG Calculated MW:

Immunogen Catalog Number: 102 kDa
AG16895 Observed

Observed MW: 102 kDa

Tested Applications:

IHC, IP, WB, ELISA

Cited Applications:

CoIP, IF, IHC, IP, WB Species Specificity:

human, mouse, rat

Cited Species:

human, chicken, rat, mouse, monkey, pig, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:5000-1:50000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:1000-1:4000

Applications

Positive Controls:

WB: HeLa cells, mouse skeletal muscle tissue, Jurkat

cells, MCF-7 cells

IP: HeLa cells,

IHC: human urothelial carcinoma tissue,

Background Information

Hexokinase 2 (HK2), a rate-limiting enzyme in the first step of glycolysis pathway, expresses at high level in cancer cells compared with normal cells. HK2 provides a new target for cancer therapy due to its pivotal role in tumor tumourigenic and metastatic process. HK1 is constitutively expressed in most mammalian adult tissues. HK2, however, although is abundantly expressed in embryonic tissues, is expressed at high levels only in limited number of adult tissues such as adipose, skeletal, and cardiac muscles. (PMID: 29305912, PMID: 28427443, PMID: 23911236). The antibody also recognizes Hexokinase 1.

Notable Publications

| Author | Pubmed ID | Journal | Application |
|-------------|-----------|-----------------|-------------|
| Na Du | 36155179 | Life Sci | WB |
| Lifang Li | 36230229 | Animals (Basel) | WB |
| Weimou Chen | 34603058 | Front Pharmacol | WB |

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 22029-1-AP (Hexokinase 2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



IP result of anti-Hexokinase 2 (IP:22029-1-AP, 4ug; Detection:22029-1-AP 1:10000) with HeLa cells lysate 1520 ug.



Immunohistochemical analysis of paraffinembedded human urothelial carcinoma tissue slide using 22029-1-AP (Hexokinase 2 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).