#### For Research Use Only

# ARCN1 Polyclonal antibody

Catalog Number: 23843-1-AP

4 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

23843-1-AP BC093636 GeneID (NCBI):

Size: 150ul, Concentration: 300 µg/ml by 372

Nanodrop and 220 µg/ml by Bradford Full Name: method using BSA as the standard; archain 1

Calculated MW: Rabbit 511 aa, 57 kDa Isotype: Observed MW: IgG 57 kDa, 47 kDa

Immunogen Catalog Number:

Antigen affinity purification Recommended Dilutions: WB 1:2000-1:16000 IHC 1:20-1:200

**Purification Method:** 

IF 1:20-1:200

AG20836

**Applications** 

**Tested Applications:** IF, IHC, WB, ELISA

**Cited Applications:** 

IF, IHC, WB

Species Specificity:

human, mouse, rat

**Cited Species:** 

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HeLa cells, HepG2 cells, A549 cells, Jurkat cells, mouse pancreas tissue, rat pancreas tissue

IHC: human testis tissue,

IF: HepG2 cells,

## **Background Information**

Archain 1 (ARCN1), also known as delta-COP, is a subunit of the coat protein I (COPI) complex, which comprises one of the protein coats that mediate vesicle budding from the membrane. Protein sequences of ARCN1 are well conserved among eukaryotes and this protein may play a fundamental role in eukaryotic cell biology. It has similarities to heat shock proteins and clathrin-associated proteins, and may be involved in vesicle structure or trafficking. The gene of ARCN1 has been identified in chromosome band 11q23.3, and sequencing of cDNAs suggests that at least two forms of mRNA with alternative 5' ends are present. (PMID: 7782067; 20502676)

### Notable Publications

Author	Pubmed ID	Journal	Application
Zhiping Feng	35788181	Nat Chem Biol	WB
Aparna Bhaduri	31996853	Nature	IHC
Mara C Harwood	36662862	Sci Adv	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 23843-1-AP (ARCN1 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human testis tissue slide using 23843-1-AP (ARCN1 Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human testis tissue slide using 23843-1-AP (ARCN1 Antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of HepG2 cells using 23843-1-AP (ARCN1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).