For Research Use Only

WNT6 Polyclonal antibody

Catalog Number:24201-1-AP

6 Publications



Basic Information

Catalog Number: GenBank Accession Number: 24201-1-AP BC004329

Purification Method: Antigen affinity purification Recommended Dilutions:

Size: 150ul, Concentration: 1000 µg/ml by 7475

WB 1:500-1:2000 IHC 1:50-1:500

Nanodrop and 507 µg/ml by Bradford Full Name:

method using BSA as the standard;

wingless-type MMTV integration site

family, member 6 Rabbit Calculated MW: 39 kDa Isotype: IgG Observed MW: Immunogen Catalog Number:

AG20889

42 kDa

GeneID (NCBI):

Applications

Tested Applications: Positive Controls: IHC, WB, ELISA WB: SGC-7901 cells, **Cited Applications:**

IF, IHC, WB Species Specificity:

IHC: mouse brain tissue, human small intestine tissue

human, mouse **Cited Species:** human, chicken

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

WNT6 belongs to the Wnt family. It is ligand for members of the frizzled family of seven transmembrane receptors. WNT6 is likely to signal over only few cell diameters. WNT6 may be together with CAV1 to promote $chemoresistance\ of\ gastric\ cancer\ cells\ to\ DNA-damaging\ anthracycline\ drugs\ through\ the\ activation\ of\ the$ canonical Wnt receptor signaling pathway. And WNT6 is mainly expressed in brain, endometrium epithelium, gastric cancer cell lines and gastric cancer tissues (PMID: 22370641).

Notable Publications

Author	Pubmed ID	Journal	Application
Haijuan Bao	36075327	Gene	WB,IHC,IF
Qin Ju He	31618077	Am J Physiol Cell Physiol	WB
Li Li	28693164	Oncol Lett	WB,IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

*** 20ul sizes contain 0.1% BSA

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



SGC-7901 cells were subjected to SDS PAGE followed by western blot with 24201-1-AP (WNT6 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 24201-1-AP (WNT6 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 24201-1-AP (WNT6 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).