

For Research Use Only

C1QBP Polyclonal antibody

Catalog Number: 24474-1-AP

Featured Product

10 Publications



Basic Information

Catalog Number:

24474-1-AP

Size:

150ul, Concentration: 500 ug/ml by Nanodrop;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG19773

GenBank Accession Number:

BC013731

GeneID (NCBI):

708

UNIPROT ID:

Q07021

Full Name:

complement component 1, q subcomponent binding protein

Calculated MW:

282 aa, 31 kDa

Observed MW:

32-35 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB: 1:5000-1:50000

IHC: 1:50-1:500

IF/ICC: 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : C2C12 cells, HEK-293 cells, HCT 116 cells, HeLa cells, K-562 cells, NIH/3T3 cells, PC-12 cells, RAW 264.7 cells

IHC : human tonsillitis tissue, human breast cancer tissue

IF/ICC : NIH/3T3 cells,

Background Information

C1QBP, also named as gC1q receptor (gC1qR), p32, p33, and hyaluronan-binding protein 1 (HABP1), is a protein initially copurified with splicing factor SF2 (PMID: 1830244). The protein is synthesized as a pro-protein of 282 amino acids (aa) that is post-translationally processed by removal of the initial 73 aa to a mature protein of 209 aa (PMID: 8262387). C1QBP is an evolutionary conserved and ubiquitously expressed multifunctional protein and has been reported to be a predominantly mitochondrial matrix protein involved in inflammation and infection processes, mitochondrial ribosome biogenesis, regulation of apoptosis and nuclear transcription, and pre-mRNA splicing (PMID: 28942965).

Notable Publications

Author	Pubmed ID	Journal	Application
Jianyu Ma	31635221	Int J Mol Sci	WB, IF
Jiang Ni	33069744	J Control Release	WB
Nicole Denoix	32754111	Front Neurol	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 24474-1-AP (C1QBP antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




WB result of C1QBP antibody (24474-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-C1QBP transfected HEK-293 cells.



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 24474-1-AP (C1QBP antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 24474-1-AP (C1QBP antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed NIH/3T3 cells using C1QBP antibody (24474-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).