For Research Use Only

RNF167 Polyclonal antibody

Catalog Number: 24618-1-AP

Featured Product

2 Publications



Basic Information

Catalog Number:

24618-1-AP

Size:

GenBank Accession Number:

BC010139

GeneID (NCBI):

150ul , Concentration: 350 ug/ml by 26001

Nanodrop and 173 ug/ml by Bradford $\,$ UNIPROT ID:

method using BSA as the standard;

Source:

Q9H6Y7 Full Name:

Rabbit ring finger protein 167

Isotype: Calculated MW: 350 aa, 38 kDa

Immunogen Catalog Number:

Observed MW: AG18383

46-50 kDa

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse

Cited Species:

human

Positive Controls:

WB: SH-SY5Y cells, mouse brain tissue, mouse testis

Purification Method:

WB 1:200-1:1000

Antigen affinity purification

Recommended Dilutions:

Background Information

RNF167 also named as, ring finger protein 167 or LP2254, is a 350 amino acid protein, which contains one protease associated domain and one Ring-type zinc finger. RNF167 as single-pass membrane protein localizes in the endomembrane system and is strongly expressed in the kidney and liver. RNF167 may act as an E3 ubiquitin $protein\ ligase, or\ as\ a\ part\ of\ the\ E3\ complex, which\ accepts\ ubiquitin\ from\ specific\ E3\ ubiquitin\ from\ ubiquitin$ conjugation enzymes. RNF167 also may play a role in growth regulation in G1/S transition. The molecular weight of RNF167 is 38 kDa, but we detected a 47 kDa protein by western blot. Our result is similar to the figure of one research paper (PMID:23129617).

Notable Publications

Author	Pubmed ID	Journal	Application
Tingting Li	33594058	Nat Commun	WB
Zhenzhen Yan	37410058	FASEB J	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



SH-SY5Y cells were subjected to SDS PAGE followed by western blot with 24618-1-AP (RNF167 Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.