For Research Use Only

USP50 Polyclonal antibody

Catalog Number: 24817-1-AP

Featured Product

1 Publications



Basic Information

Catalog Number: GenBank Accession Number:

24817-1-AP BC146493 GeneID (NCBI): Size: 150ul , Concentration: 550 ug/ml by 373509

Nanodrop: **UNIPROT ID:** Q70EL3 Rabbit Full Name:

Isotype: ubiquitin specific peptidase 50

IgG Calculated MW: Immunogen Catalog Number: 339 aa, 39 kDa AG19337 Observed MW:

40 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:3000 IHC 1:50-1:500

Applications

Tested Applications: WB, IHC, ELISA

Cited Applications:

WB. IF

Species Specificity: human, mouse **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: mouse testis tissue,

IHC: human hepatocirrhosis tissue, mouse testis tissue

Background Information

Ubiquitin-specific protease 50 (USP50) belongs to the peptidase C19 family. USP50 has been shown to regulate cell cycle and DNA repair through interaction with the Wee1 protein in transformed human osteosarcoma and human epithelial cell lines. USP50 has also been shown to play a role in inflammasomal function by targeting the adaptor protein (PMID: 29101126). USP50 has 2 isoforms with the molecular mass of 38 and 39 kDa. Sometimes higher molecular weight around 44 kDa can also be observed, which may be a modified variant of USP50.

Notable Publications

Author	Pubmed ID	Journal	Application
Chenye Zhao	38469295	Front Immunol	WB,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



mouse testis tissue were subjected to SDS PAGE followed by western blot with 24817-1-AP (USP50 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human hepatocirrhosis tissue slide using 24817-1-AP (USP50 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).