### For Research Use Only

# AGTR1 Polyclonal antibody

Catalog Number: 25343-1-AP

Featured Product

62 Publications



**Basic Information** 

Catalog Number:

25343-1-AP

Size:

GenBank Accession Number:

BC022447

GeneID (NCBI):

150ul , Concentration: 800 ug/ml by

Nanodrop: **UNIPROT ID:** P30556 Rabbit Full Name:

Isotype: angiotensin II receptor, type 1

IgG Calculated MW: Immunogen Catalog Number: 359 aa, 41 kDa AG14461 Observed MW:

50 kDa

**Purification Method:** Antigen affinity purification Recommended Dilutions:

WB 1:500-1:1000 IHC 1:50-1:500

# **Applications**

**Tested Applications:** WB, IHC, ELISA

**Cited Applications:** WB, IHC, IF, IP, CoIP Species Specificity:

human, mouse, rat **Cited Species:** 

human, mouse, rat, zebrafish

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### **Positive Controls:**

WB: C2C12 cells, PC-12 cells, mouse kidney tissue, mouse heart tissue. HuH-7 cells. HEK-293 cells

IHC: mouse heart tissue, human liver cancer tissue,

human heart tissue

# **Background Information**

Angiotensin II (Ang II), the main effector molecule of the renin-angiotensin system, exerts its actions mainly via interaction with type-1 angiotensin II receptor (AGTR1, also named AT1R), thereby contributing to blood pressure regulation. AGTR1 mediates its action by association with G proteins that activate a phosphatidylinositol-calcium second messenger system. By regulating vascular tone, cardiovascular function, and salt and water homeostasis, AGTR1 exerts an indispensable physiological role (PMID: 21600887). AGTR1 has been implicated in diverse aspects of human disease, from the regulation of blood pressure and cardiovascular homeostasis to cancer progression (PMID: 26975580).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Zemin Zhu	36175845	BMC Mol Cell Biol	WB
Gha-Hyun J Kim	34550070	Elife	WB,IF
Ruili Dang	34529881	Aging Cell	WB

### Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 25343-1-AP (AGTR1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 25343-1-AP (AGTR1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 25343-1-AP (AGTR1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human heart tissue slide using 25343-1-AP (AGTR1 Antibody) at dilution of 1:50 (under 10x lens).