For Research Use Only

MRP3/ABCC3 Polyclonal antibody

25358-1-AP

Nanodrop:

Size:

Catalog Number: 25358-1-AP 1 Publications



Purification Method:

WB 1:500-1:1000 IHC 1:400-1:1600

Positive Controls:

WB: 37°C incubated HeLa cells,

IHC: human colon tissue, human liver tissue

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number:

GenBank Accession Number: BC137348

GeneID (NCBI):

150ul , Concentration: 450 ug/ml by 8714

UNIPROT ID:

Source: 015438
Rabbit Full Name:

Isotype: ATP-binding cassette, sub-family C

IgG (CFTR/MRP), member 3

Immunogen Catalog Number: Calculated MW:

AG19786 1527 aa, 169 kDa

Observed MW: 170-180 kDa

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

Species Specificity:

human

Cited Species:

mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

MRP3 also known as ABCC3, belongs to ATP-binding cassette (ABC) transporter protein superfamily. MRP3 hydrolyzes ATP to enable active transport of various substrates including many drugs, toxicants, and endogenous compounds across cell membranes (PMID: 11581266, 15083066). In normal liver, MRP3 was found present mainly in the bile ducts. In livers of patients with various forms of cholestasis, MRP3 levels were frequently increased in the proliferative cholangiocytes, suggesting its role in cholehepatic and enterohepatic bile circulation and in protecting liver from toxic bile salts(PMID: 11850532, 11283840). MRP3 is expressed in the liver, colon, pancreas, and, at a lower level, in the kidney (PMID:10094960). For optimal WB detection of this membrane protein, we recommend to avoid boiling the sample after lysis.

Notable Publications

AuthorPubmed IDJournalApplicationHuimin Liu38642845Life SciWB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




37°C incubated HeLa cells were subjected to SDS PAGE followed by western blot with 25358-1-AP (MRP3/ABCC3 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 25358-1-AP (MRP3/ABCC3 antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 25358-1-AP (MRP3/ABCC3 antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 25358-1-AP (MRP3/ABCC3 antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).