## For Research Use Only

## BIVM Polyclonal antibody

Catalog Number: 25432-1-AP



**Purification Method:** 

IHC 1:20-1:200

**Basic Information** 

Catalog Number: GenBank Accession Number: 25432-1-AP BC075084

25432-1-AP BC075084 Antigen affinity purification
Size: GeneID (NCBI): Recommended Dilutions:
150ul , Concentration: 500 µg/ml by 54841 WB 1:500-1:2000

150ul , Concentration: 500  $\mu$ g/ml by 54841 Nanodrop and 307  $\mu$ g/ml by Bradford Full Name:

method using BSA as the standard; basic, immunoglobulin-like variable

Source: motif containing
Rabbit Calculated MW:
Isotype: 503 aa, 57 kDa
IgG Observed MW:
Immunogen Catalog Number: 32 kDa

AG22087

**Applications** 

Tested Applications: Positive Controls: IHC, WB, ELISA WB: Raji cells,

Species Specificity: IHC : human ovary tissue,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

## **Background Information**

BIVM has been identified using an electronic search based on the conservation of short sequence motifs within the variable region of immunoglobulin (Ig) genes. It is tightly linked (41 bp) and in the opposite transcriptional orientation to MGC5302 (also known as KDEL1 and EP58) in human. BIVM has two isoforms with MW 57 kDa and 32 kDa.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## Selected Validation Data



Raji cells were subjected to SDS PAGE followed by western blot with 25432-1-AP (BIVM Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human ovary tissue slide using 25432-1-AP (BIVM Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human ovary tissue slide using 25432-1-AP (BIVM Antibody) at dilution of 1:50 (under 40x lens).