For Research Use Only

ZMYM3 Polyclonal antibody

Catalog Number:25742-1-AP 1 Publications





Basic Information	Catalog Number: 25742-1-AP	GenBank Accession Number: BC013009	Purification Method: Antigen affinity purification	
	Size: 150ul , Concentration: 500 ug/ml by Nanodrop and 333 ug/ml by Bradford method using BSA as the standard;	GenelD (NCBI): 9203	Recommended Dilutions: WB 1:500-1:1000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Source: Rabbit	Full Name: zinc finger, MYM-type 3		
	Isotype: IgG	Calculated MW: 1370 aa, 152 kDa		
	Immunogen Catalog Number: AG22701	Observed MW: 190-200 kDa		
Applications	Tested Applications: WB, IP, ELISA	Positive Controls:		
	Cited Applications: WB, IHC, IP	WB : mouse brain tissue, IP : K-562 cells,		
	Species Specificity: human, mouse			
	Cited Species: human			
Background Information	ZMYM3, also named as DXS6673E, KIAA0385, and ZNF261, is a 1370 amino acid protein, which may be a component of a BHC histone deacetylase complex. ZMYM3 is most abundant in brain, moderate in muscle and heart, low in other tissues except placenta. ZMYM3 plays a role in the regulation of cell morphology and cytoskeletal organization.			
Notable Publications	Author Pub	med ID Journal	Application	
	Tiantian Jing 389	065210 Nat Commun	WB,IP,IHC	
	Store on t			
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50°			

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





mouse brain tissue were subjected to SDS PAGE followed by western blot with 25742-1-AP (ZMYM3 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours. IP result of anti-ZMYM3 (IP:25742-1-AP, 4ug; Detection:25742-1-AP 1:300) with K-562 cells lysate 3600ug.