For Research Use Only

FGF21 Polyclonal antibody

Catalog Number: 26272-1-AP

3 Publications



Basic Information

Applications

Catalog Number: 26272-1-AP

GenBank Accession Number: BC018404

Purification Method: Antigen affinity purification

Size:

GeneID (NCBI):

150ul, Concentration: 500 µg/ml by

26291

Recommended Dilutions: IHC 1:50-1:500

Nanodrop and 333 $\mu g/ml$ by Bradford Full Name:

fibroblast growth factor 21

IF 1:50-1:500

method using BSA as the standard;

Calculated MW:

Rabbit

22 kDa

Isotype: IgG

Immunogen Catalog Number:

AG24064

Tested Applications: Positive Controls:

IF, IHC, ELISA

Cited Applications:

IHC: human lung cancer tissue, human colon tissue

IF: mouse liver tissue.

Species Specificity: human, mouse

Cited Species: human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Background Information

Fibroblast growth factor 21 (FGF21), a member of the FGF superfamily, has emerged as an important metabolic regulator. FGF21 is produced in the liver, adipocytes and skeletal muscle and regulates glucose, energy and lipid metabolism. FGF21 is a stress-responsive hepatokine which is induced in the liver as a response to injury, regeneration, hepatocarcinogenesis and during kidney dysfunction. FGF21 is primarily metabolized in the kidney and renal secretion is the major route of FGF21 elimination. Its plasma levels increase according to the decline in renal function in patients with chronic and acute renal dysfunction.

Notable Publications

Author	Pubmed ID	Journal	Application
Hakjoo Lee	37872238	Nat Commun	
Kailiang Zhou	31740658	Cell Death Dis	IF
Xingran Chen	29136776	Biomed Pharmacother	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 26272-1-AP (FGF21 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 26272-1-AP (FGF21 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse liver tissue using FGF21 antibody (26272-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse liver tissue using FGF21 antibody (26272-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).