

For Research Use Only

# MBOAT7 Polyclonal antibody

Catalog Number: 26646-1-AP



## Basic Information

**Catalog Number:**

26646-1-AP

**Size:**

150ul , Concentration: 300 ug/ml by Nanodrop;

**Source:**

Rabbit

**Isotype:**

IgG

**Immunogen Catalog Number:**

AG24490

**GenBank Accession Number:**

BC006309

**GeneID (NCBI):**

79143

**UNIPROT ID:**

Q96N66

**Full Name:**

membrane bound O-acyltransferase domain containing 7

**Calculated MW:**

472 aa, 53 kDa

**Observed MW:**

45 kDa

**Purification Method:**

Antigen affinity purification

**Recommended Dilutions:**

WB 1:500-1:1000

## Applications

**Tested Applications:**

WB, ELISA

**Species Specificity:**

human, mouse

**Positive Controls:**

WB : mouse liver tissue,

## Background Information

MBOAT7 (membrane-bound O-acyltransferase domain containing 7), also known as LPIAT, LENG4, or BB1, belongs to the MBOAT superfamily. MBOAT7 acylates lyso-phosphatidylinositol (lyso-PI) with arachidonyl-CoA and is involved in phosphatidylinositol acyl-chain remodeling in the Lands cycle (PMID: 30959108; PMID: 35509994). MBOAT7 deficiency in humans leads to developmental disorders of the central nervous system, with intellectual disability, epilepsy, and autism spectrum disorder (PMID: 37316513). The calculated molecular weight of MBOAT7 is 53 kDa. This antibody can recognize the 45 kDa isoform of MBOAT7.

## Storage

**Storage:**

Store at -20°C. Stable for one year after shipment.

**Storage Buffer:**

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



mouse liver tissue was subjected to SDS PAGE  
followed by western blot with 26646-1-AP  
(MBOAT7 antibody) at dilution of 1:600 incubated  
at room temperature for 1.5 hours.