

For Research Use Only

BSAP,PAX5 Polyclonal antibody

Catalog Number:26709-1-AP

Featured Product

5 Publications



Basic Information

Catalog Number:

26709-1-AP

Size:

150ul , Concentration: 550 ug/ml by Nanodrop and 533 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG25147

GenBank Accession Number:

BC156927

GeneID (NCBI):

5079

UNIPROT ID:

Q02548

Full Name:

paired box 5

Calculated MW:

391 aa, 42 kDa

Observed MW:

42 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:150-1:600

Applications

Tested Applications:

WB, IHC, IP, ELISA

Cited Applications:

WB, IHC, IP

Species Specificity:

human, mouse

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : Daudi cells, Raji cells, Ramos cells

IP : Ramos cells,

IHC : human tonsillitis tissue, human lymphoma tissue

Background Information

PAX5, also named B-cell specific activator protein (BSAP), is a member of the highly conserved paired box (PAX)-domain family of transcription factors. PAX5 is essential in normal B-cell lymphopoiesis. It is expressed in pro-B, pre-B and mature B lymphocytes but not in plasma cells. PAX5 is a common target in leukemogenesis of B-ALL (B-lineage acute lymphoblastic leukemia) along with CDKN2A. Owing to its frequent deletion in B-ALL, PAX5 could be used as one of the molecular markers in diagnosis and monitoring of the disease. This antibody is specific to PAX5. It will not cross react with other PAX members.

Notable Publications

Author	Pubmed ID	Journal	Application
Runzhi Huang	33397394	Cancer Cell Int	IHC
Jennifer S Ko	32026485	J Cutan Pathol	IHC
Shuai Wu	35363937	Mol Oncol	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 26709-1-AP (BSAP,PAX5 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




WB result of BSAP,PAX5 antibody (26709-1-AP; 1:600; incubated at room temperature for 1.5 hours) with sh-Control and sh-BSAP,PAX5 transfected Raji cells.



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 26709-1-AP (BSAP,PAX5 antibody) at dilution of 1:300 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-BSAP,PAX5 (IP:26709-1-AP, 4ug; Detection:26709-1-AP 1:1000) with Ramos cells lysate 3600 ug.



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 26709-1-AP (BSAP,PAX5 antibody) at dilution of 1:300 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).