

For Research Use Only

NMDAR1 Polyclonal antibody

Catalog Number: 27232-1-AP



Basic Information

Catalog Number: 27232-1-AP	GenBank Accession Number: NM_000832	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 400 µg/ml by Nanodrop;	GeneID (NCBI): 2902	Recommended Dilutions: WB 1:500-1:1000 IP 0.5-4.0 ug for IP and 1:200-1:1000 for WB
Source: Rabbit	Full Name: glutamate receptor, ionotropic, N-methyl D-aspartate 1	IHC 1:50-1:500
Isotype: IgG	Calculated MW: 105 kDa	
Immunogen Catalog Number: AG26093	Observed MW: 116-120 kDa	

Applications

Tested Applications:

IHC, IP, WB, ELISA

Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : mouse brain tissue, rat brain tissue

IP : rat brain tissue,

IHC : mouse brain tissue, mouse cerebellum tissue

Background Information

GRIN1 encodes subunit 1 of the N-methyl-D-aspartate (NMDA) receptor, which is a heteromeric glutamate-gated calcium ion channel essential for synaptic function in the brain (PMID: 25864721, PMID: 25864721). NMDARs play important roles in normal brain development and function, such as synaptic plasticity, neural development, learning and memory (PMID: 20716669). NMDAR dysfunction has been associated with several neurological disorders including Parkinson, Alzheimer and Huntington diseases. Disrupted motor learning and long-term synaptic plasticity in mice lacking NMDAR1 in the striatum (PMID: 17015831).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 27232-1-AP (NMDAR1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.




IP result of anti-NMDAR1(IP:27232-1-AP, 4ug; Detection:27232-1-AP 1:400) with rat brain tissue lysate 1120 ug.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 27232-1-AP (NMDAR1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed rat brain tissue using NMDAR1 antibody (27232-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed rat brain tissue using NMDAR1 antibody (27232-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).