For Research Use Only

NRG4 Polyclonal antibody

Catalog Number:27292-1-AP




Basic Information	Catalog Number: 27292-1-AP	GenBank Accession Number: BC017568	Purification Method: Antigen affinity purification
	Size: 150ul, Concentration: 550 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG26044	GeneID (NCBI): 145957	Recommended Dilutions: IHC 1:50-1:500
		UNIPROT ID: Q8WWG1	
		Full Name: neuregulin 4	
		Calculated MW: 13 kDa	
Applications	Tested Applications: IHC, ELISA	C, ELISA IHC : human prostate cancer tissue, human breast cancer tissue ecies Specificity: cancer tissue	
	Species Specificity: human		
	Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternativ retrieval may be performed w buffer pH 6.0	vely, antigen	
Background Information	Neuregulin 4 (Nrg4), a member of the epidermal growth factor (EGF) family of extracellular ligands, is expressed in multiple organs with the highest expression levels in brown adipose tissue. Neuregulin 4 is a secreted adipokine recently identified as playing an important role in modulating systemic energy metabolism and in the development of metabolic disorders in rodent and human obesity, including type 2 diabetes and non-alcoholic fatty liver disease (NAFLD). Nrg4 attenuates hepatic lipogenic signaling and preserves glucose and lipid homeostasis in obesity.		
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50		
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s	0, 1	

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 27292-1-AP (NRG4 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 27292-1-AP (NRG4 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).