## For Research Use Only

# SOCS6 Polyclonal antibody

Catalog Number: 27343-1-AP



**Basic Information** 

Catalog Number: GenBank Accession Number:

27343-1-AP BC020082 GeneID (NCBI): Size: 150ul, Concentration: 550 ug/ml by

Nanodrop: **UNIPROT ID:** 014544

Isotype: suppressor of cytokine signaling 6

IgG Calculated MW: Immunogen Catalog Number: 60 kDa AG25594 Observed MW:

60-75 kDa

Full Name:

**Purification Method:** Antigen affinity purification Recommended Dilutions:

WB 1:500-1:3000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

## **Applications**

**Tested Applications:** WB, IHC, IP, ELISA Species Specificity: human, mouse

Rabbit

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

#### Positive Controls:

WB: A549 cells, Calu-1 cells, NIH/3T3 cells, human

placenta tissue

IP: human placenta tissue,

IHC: human colon tissue, mouse colon tissue

### **Background Information**

SOCS6 (Suppressor of cytokine signaling 6) is also named as CIS4 and SOCS4. SOCS6 is one of eight members of the SOCS family of proteins. SOCS6 is involved in negative regulation of receptor signaling by increasing degradation mediated by ubiquitination of receptors or substrate proteins and induces apoptosis by targeting mitochondrial proteins (PMID: 25172101). SOCS6 is widely expressed in many tissues and is found to be downregulated in many cancers including colorectal cancer, gastric cancer, lung cancer, ovarian cancer, stomach cancer, thyroid cancer, hepatocellular carcinoma, and pancreatic cancer (PMID: 25172101). In addition to its molecular weight of 60 kDa, SOCS6 has a 70 kDa isoform (PMID: 34169835, PMID: 22125600).

# Storage

Storage:


Store at -20°C. Stable for one year after shipment. Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


\*\*\* 20ul sizes contain 0.1% BSA

Aliquoting is unnecessary for -20°C storage


### **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 27343-1-AP (SOCS6 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.




IP result of anti-SOCS6 (IP:27343-1-AP, 4ug; Detection:27343-1-AP 1:500) with human placenta tissue lysate 1160 ug.




Immunohistochemical analysis of paraffinembedded human colon tissue slide using 27343-1-AP (SOCS6 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 27343-1-AP (SOCS6 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 27343-1-AP (SOCS6 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 27343-1-AP (SOCS6 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).