

For Research Use Only

IL-1R1 Polyclonal antibody

Catalog Number: 27348-1-AP

2 Publications



Basic Information

Catalog Number: 27348-1-AP	GenBank Accession Number: BC075063	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 700 ug/ml by Nanodrop;	GeneID (NCBI): 3554	Recommended Dilutions: WB 1:1000-1:4000 IHC 1:300-1:1200
Source: Rabbit	UNIPROT ID: P14778	
Isotype: IgG	Full Name: interleukin 1 receptor, type I	
Immunogen Catalog Number: AG25998	Calculated MW: 569 aa, 65 kDa	
	Observed MW: 80 kDa, 60 kDa	

Applications

Tested Applications: WB, IHC, ELISA	Positive Controls: WB : Jurkat cells, MOLT-4 cells, Raji cells, EL-4-B5 cells, NIH/3T3 cells, mouse liver tissue IHC : mouse spleen tissue, human appendicitis tissue
Cited Applications: IHC, IF	
Species Specificity: human, mouse	
Cited Species: mouse	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

IL-1R1 (IL-1 receptor type 1, also known as p80, IL-1R-alpha or CD121a) is a 80 kDa transmembrane glycoprotein and a member of the interleukin-1 receptor family (PMID: 35163653; 29248002). It is a receptor for IL-1 α , IL-1 β , and interleukin-1 receptor antagonist (IL-1Ra). IL-1 α and IL-1 β interact with the extracellular domain of IL-1R1, triggering the recruitment of an accessory receptor, the IL-1RAcP, resulting in a functional receptor complex that initiates IL-1R1 signaling cascades (PMID: 35163653). IL-1Ra competes with active IL-1 and blocks binding to their common activating receptor IL-1R1 and, thus, inhibits IL-1 signaling (PMID: 35332327; 11641511). It has been reported that IL-1R1 may also bind IL-38 (PMID: 29248002). IL-1R1 expression has been found in many cell types including T cells, macrophages, neutrophils, eosinophils, basophils, mast cells, fibroblasts, and endothelial cells. IL-1R1 can be released from the cell surface following proteolytic cleavage, generating a soluble form of 55-60 kDa (PMID: 17324958).

Notable Publications

Author	Pubmed ID	Journal	Application
Xiaoping Xie	38889468	J Hazard Mater	IF
Zhongwu Su	38490286	Exp Gerontol	IHC

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 27348-1-AP (IL-1R1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse spleen tissue slide using 27348-1-AP (IL-1R1 antibody) at dilution of 1:600 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse spleen tissue slide using 27348-1-AP (IL-1R1 antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).